

ABSOLUTE INDUSTRIAL PRICE LIST 2024







INTRODUCTION

Our range of Industrial Compressors are detailed in this price list. They offer the best industrial solutions from small compressors to large centralised systems. We work closely with our key partners EKOM to ensure the industrial network is provided with the best equipment.

EKOM are one of the leading suppliers of industrial compressors in Europe. Supplying world-wide, they have an enviable reputation for quality & reliability.

KEY POINTS IN CHOOSING EKOM:

- · Oil free compressor 100% duty
- · 2-year warranty
- · Supplied with dryers supplying upto -70 dew point
- · Bacteria free, dry air
- · Easy access for service engineers
- · 10 + years compressor lifetime
- Flexible cabinet options for all models offering < 50 dB(A) noise level
- · Compressors supplied from stock for next day delivery

ABOUT US:

We established AAG to support the industrial network and provide a high-quality product that offers exceptional reliability.

We have a strong network of industrial dealers supplying the EKOM brand into various markets. We offer full training and support to industrial engineers and sales staff. If you would like training please contact our service team who would be happy to arrange.



IN DEPTH KNOWLEDGE AND EXPERIENCE

We combine a wealth of knowledge stretching nearly 40 years with a dedicated work force to provide the customer the best possible experience.



PROVIDING THE BEST QUALITY PRODUCTS

We work closely with our key partners, helping to develop a wide range of products covering our key markets. They have been carefully selected based on their high quality, reliability and fair price.



UNRIVALLED CUSTOMER SUPPORT

We deliver exceptional customer service, from stocking compressor/parts for next day delivery to installation advice via facetime. We ensure your experience with us is hassle free, before, during and after the sale.





BUYER'S GUIDE

Here you will find a very easy guide to help you identify which product you require:

Product Name	Options	Pressure Options	Page No.
DK50 10	Cabinet (S) / Dryer (M)	6-8 Bar	4
DK50 PLUS	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	5
DK50 2V	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	6
DK50 2V/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	7
DK50 4VR/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	8
DK50 2X2V/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	9
DK50 2X4VR/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	10
DK50 2V MOBILE	Dryer (M)	6-8 Bar / 8-10 Bar	11
DK50 3X4VR	Dryer (M)	6-8 Bar / 8-10 Bar	11
Tower Systems	All Options	6-8 Bar / 8-10 Bar	12
Beverage Compressor	All Options	6-8 Bar	13
SILVER-LINE	Lubricated & Oil Free	8 Bar - 16 Bar	14
BLUE-LINE	Lubricated & Oil Free	6-8 Bar / 8-10 Bar	16

Service Type	What's Included
Intermediate Service	The Intermediate service kits will include all filters that are required to be replaced every year as a minimum.
Comprehensive Service	The comprehensive service kits will include all filters as well as valve plates, con rods and bearings. (this is an overhaul service, required based on hours or time period)
Dryer Service	The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.

Prices quoted are list prices ex works UK
Prices shown exclude VAT
GBP £ Sterling

AAG Terms & Conditions of sale apply
AAG reserve the right to alter prices at any time
Prices valid from February 2024



INDUSTRIAL COMPRESSORS DK50-10

(ekon	DK50-10 Z (Compressor only) Code: EK-402101001-308	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 68L .min @ 7 bar 10 L 65 dBa 485 x 350 x 553 (w x l x h) 38kg	£1,617
	DK50-10 S (Compressor + Cabinet) Code: EK-402102001-308	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 68L .min @ 7 bar 10 L 49 dBa 580 x 440 x 655 (w x l x h) 53kg	£1,994
	DK50-10 Z/M (Compressor + Dryer) Code: EK-4021010A1-305	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 48L .min @ 7 bar Mebrane 10 L 67 dBa 544 x 350 x 553 (w x l x h) 44kg	£2,661
	DK50-10 S/M (Compressor + Dryer + Cabinet) Code: EK-4021020A1-305 Code: EK-4021020A1-303	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 48L.min @ 7 bar NPSL/Membrane 10 L 51.5 dBa 649 x 440 x 655 (w x l x h) 61kg	£2,914 (8 bar) £3,428 (10 bar) 2 YERR Y
	DK50 10 Intermediate Service Kit (Annual Service) Code: UK-8012	the intake filter.	nediate Service Kit includes o be used every year as a	£34
	DK50 10 Comprehensive Service Kit (8000 hours) Code: UK-8013	filters, bearings, val	rehensive kit includes intake ve plates and piston rods. les: 1 x1, 1x2, 1x3, 1x4, 1x6	£481

	DK50 PLUS (Compressor only) Code: EK-403C01001-402 (8 bar) Code: EK-403101001-304 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 68L .min @ 7 bar 25 L 66 dBa 460 x 460 x 690 (w x l x h) 48kg 6-8 or 8-10 bar	£1,617 (8 bar) £1,915 (10 bar) 2YERR Y
1	DK50 PLUS/S (Compressor + Cabinet) Code: EK-403C02001-402 (8 bar) Code: EK-403102001-401 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 68L .min @ 7 bar 25 L 47 dBa 560 x 665 x 860 (w x l x h) 83kg 6-8 or 8-10 bar	£2,957 (8 bar) £3,226 (10 bar) 2YERRRY
	DK50 PLUS/M (Compressor + Dryer) Code: NPSL: EK-4031010B1-401 (8 bar) NPSL: EK-4031010B1-404 (10 bar) MEM: EK-4031010A1-404 (8 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 50L .min @ 7 bar NPSL/Membrane 25 L 66 dBa 460 x 515 x 690 (w x l x h) 54kg 6-8 or 8-10 bar	£3,410 (8 bar) £3,668 (10 bar) 2YERR Y
	DK50 PLUS S/M (Compressor + Cabinet + Dryer) Code: NPSL: EK-4031020B5-401 (8 bar) MEM: EK-4031020A1-404 (8 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 50L .min @ 7 bar NPSL/Membrane 25 L 47 dBa 560 x 665 x 860 (w x l x h) 90kg 6-8 or 8-10 bar	£4,223 (8 bar) £4,586 (10 bar)
	DK50 PLUS Intermediate Service Kit (Annual Service) Code: UK-8000	cludes the intake fi	ermediate Service Kit in- ilter. D BE USED EVERY YEAR AS A	£34
	DK50 PLUS Comprehensive Service Kit (8000 hours) Code: UK-8100 Code: UK-8303 (8-10)	filters, bearings, val	rehensive kit includes intake ve plates and piston rods. des: 1 x1, 1x2, 1x3, 1x4, 1x6	£481 (8 bar) £538 (10 bar)
	DK50 PLUS Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074		its include replacement et seals, failing to service the e the air quality.	£447

INDUSTRIAL COMPRESSORS DK50 2V

ter	DK50 2V (Compressor only) Code: EK-403D01001-302 (8 bar) Code: EK-403D01001-307 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 125L .min @ 7 bar 25 L 71 dBa 460 x 460 x 690 (w x l x h) 52kg 6-8 or 8-10 bar	E2,446 (8 bar) E2,564 (10 bar)
1	DK50 2V/S (Compressor + Cabinet) Code: EK-403202001-306 (8 bar) Code: EK-403D02001-307 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 125L .min @ 7 bar 25 L 53 dBa 560 x 665 x 860 (w x l x h) 88kg 6-8 or 8-10 bar	£3,997 (8 bar) £4,346 (10 bar) 2YERR Y
	DK50 2V/M (Compressor + Dryer) Code: NPSL - EK-4032010B1-302 (8 bar) MEM - EK-4032010A1-304 (8 bar) NPSL - EK-4032010B1-303 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 100L .min @ 7 bar NPSL/Membrane 25 L 71 dBa 560 x 665 x 860 (w x l x h) 57kg 6-8 or 8-10 bar	£3,997 (8 bar) £3,971 (10 bar) 2 YEAR Y
	DK50 2V/S/M (NPSL) (Compressor + Cabinet + Dryer) Code: NPSL - EK-4032020B1-302 (8 bar) MEM - EK-4032020A1-204 (8 bar) NPSL - EK-4032020B1-303 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 100L .min @ 7 bar NPSL/Membrane 25 L 53 dBa 560 x 665 x 860 (w x l x h) 104kg 6-8 or 8-10 bar	£5,334 (8 bar) £5,657 (10 bar)
	DK50 2V Intermediate Service Kit (Annual Service) Code: UK-8001	the intake filter.	nediate Service Kit includes	£41
	DK50 2V Comprehensive Service Kit (8000 hours) Code: UK-8101 (8 bar) Code: UK-8102 (10 bar)	filters, bearings, val	orehensive kit includes intake ve plates and piston rods. es: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7	£630 (8 bar) £659 (10 bar)
	DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074 (8 / 10 bar)		its include replacement et seals, failing to service the e the air quality.	£447

	DK50 2V/50 (Compressor only) Code: EK-406D01005-101 (8 bar) Code: EK-406D01005-103 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 125L .min @ 7 bar 50 L 71 dBa 595 x 475 x 770 (w x l x h) 56kg 6-8 or 8-10 bar	£3,394 (8 bar) £3,606 (10 bar) 2 YEERR Y
	DK50 2V/50/S (Compressor + Cabinet) Code: EK-406D02005-101 (8 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 125L .min @ 7 bar 50 L 56 dBa 750 x 715 x 1015 (w x l x h) 108kg 6-8 or 8-10 bar	£4,435 (8 bar) £4,567 (10 bar) 2 YEAR Y
	DK50 2V/50 M (NPSL) (Compressor + Dryer) Code: NPSL: EK-4062010B5-102 (8 bar) NPSL: EK-4062010B5-103 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 110L.min @ 7 bar NPSL 50 L 71 dBa 595 x 585 x 770 (w x l x h) 61kg 6-8 or 8-10 bar	£4,410 (8 bar) £4,515 (10 bar)
	DK50 2V/50/S/M (Compressor + Dryer + Cabinet) Code: EK-4062020B5-102 (8 bar) Code: EK-5062020B5-103 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 110L.min @ 7 bar NPSL 50 L 56 dBa 750 x 715 x 1015 (w x l x h) 114kg 6-8 or 8-10 bar	£6,016(8 bar) £6,269 (10 bar)
	DK50 2V Intermediate Service Kit (Annual Service) Code: UK-8001	cludes the intake f	ermediate Service Kit in- ilter. o be used every year as a	£41
	DK50 2V Comprehensive Service Kit (8000 hours) Code: UK-8101 (8 bar) Code: UK-8102 (10 bar)	intake filters, bearin rods.	mprehensive kit includes ngs, valve plates and piston des: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7	£630 (8 bar) £659 (10 bar)
€ • ° © • ° ©	DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074		its include replacement et seals, failing to service the e the air quality.	£447

INDUSTRIAL COMPRESSORS DK50 4VR/50

DK50 4VR/50 (Compressor only) Code: EK-406701105-000 (8 bar) Code: EK-406701105-101 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 250L .min @ 7 bar 50 L 77 dBa 580 x 580 x 790 (w x l x h) 70kg 6-8 or 8-10 bar	£6,371 (8 bar) £6,703 (10 bar) 2YEERR Y
DK50 4VR/50 S (Compressor + Cabinet) Code: EK-406702105-100 (8 bar) Code: EK-406702105-101 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 250L .min @ 7 bar 50 L 58 dBa 750 x 770 x 1015 (w x l x h) 128kg 6-8 or 8-10 bar	£7,660 (8 bar) £7,928 (10 bar) 2YEERR Y
DK50 4VR/50/M (NPSL) (Compressor + Dryer) Code: EK-4067011B5-101 (8 bar) Code: EK-5067011B5-104 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 180L .min @ 7 bar 50 L 77 dBa 585 x 635 x 795 (w x l x h) 81kg 6-8 or 8-10 bar	£7,852 (8 bar) £8,194(10 bar) 2YERRY Y
DK50 4VR/50 SM (NPSL) (Compressor + Cabinet + Dryer) Code: EK-4067021B5-101 (8 bar) Code: EK-4067021B5-104 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 180L .min @ 7 bar NPSL 50 L 58 dBa 750 x 770 x 1015 (w x l x h) 139kg 6-8 or 8-10 bar	£9,185(8 bar) £9,001 (10 bar)
DK50 4VR Intermediate Service Kit (Annual Service) Code: UK-8300	includes the intake	ntermediate Service Kit e filter. to be used every year as a	£80
DK50 4VR Comprehensive Service Kit (8000 hours) Code: UK-8301 (8 bar)	take filters, bearings	omprehensive kit includes in- s, valve plates and piston rods. ncludes: 4x1, 4x2, 4x3, 4x4, 2x5,	£1,262 (8 bar)
DK50 4VR Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092		its include replacement et seals, failing to service the le the air quality.	£489

INDUSTRIAL COMPRESSORS DK50 2X2V/110

	DK50 2X2V/110 (Compressor only) Code: EK-504101005-405 (8 bar) Code: EK-404101005-407 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 250L .min @ 7 bar 110 L 73 dBa 1090 x 425 x 815 (w x l x h) 98kg 6-8 or 8-10 bar	£5,185 (8 bar) £5,334 (10 bar) 2YERR Y
R ²	DK50 2X2V/110/S (Compressor + Cabinet) Code: EK-404102106-304 (8 bar) Code: EK-404102006-406 (10 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 250L .min @ 7 bar 110 L 53 dBa 1200 x 720 x 990 (w x l x h) 173kg 6-8 or 8-10 bar	£7,400 (8 bar) £7,668 (10 bar) 2YERR Y
	DK50 2X2V/110/M (NPSL) (Compressor + Dryer) Code: EK-4041010B5-404 (8 bar) Code: EK-4041010B5-403 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 180L .min @ 7 bar NPSL 110 L 73 dBa 1090 x 605 x 815 (w x l x h) 119kg 6-8 or 8-10 bar	£7,111 (8 bar) £7,259 (10 bar) 2YERR Y
	DK50 2X2V/110/S/M (Compressor + Dryer + Cabinet) Code: EK-4041020B6-402 (8 bar) Code: EK-4041010B6-403 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 180L .min @ 7 bar NPSL 110 L 53 dBa 1200 x 720 x 990 (w x l x h) 181kg 6-8 or 8-10 bar	£8,747 (8 bar) £8,907(10 bar)
	DK50 2X2V Intermediate Service Kit (Annual Service) Code: UK-8002	cludes the intake fi	Intermediate Service Kit in- ilter. o be used every year as a	£81
	DK50 2X2V Comprehensive Service Kit (8000 hours) Code: UK-8007 (8 bar) Code: UK-8010 (10 bar)	intake filters, bearin rods.	Comprehensive kit includes igs, valve plates and piston includes: 4x1, 4x2, 4x3, 4x4,	£1,259 (8 bar) £1,400 (10 bar)
	DK50 2X2V Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092		its include replacement et seals, failing to service the e the air quality.	£489

INDUSTRIAL COMPRESSORS DK50 2X4VR/110

DK50 2X4VR/110 (Compressor only) Code: EK-404711106-003 (8 bar) Code: EK-404711106-001 (10 bar) DK50 2X4VR/110 S (Compressor + Cabinet)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: Output Power: Produced Air:	415/50 V/Hz 460L .min @ 7 bar 110 L 75 dBa 1210 x 670 x 830 (w x l x h) 150kg 6-8 or 8-10 bar 415V/50 V/Hz 460L .min @ 7 bar	E9,546 (8 bar) E10,357(10 bar) 2YEERRY E12,765 (8 bar)
Code: EK-404712106-000 (8 bar) Code: EK-404712106-001 (10 bar)	Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	110 L 58 dBa 1260 x 795 x 1025 (w x l x h) 230kg 6-8 or 8-10 bar	£13,695 (10 bar)
DK50 2X4VR/110 M (NPSL) (Compressor + Dryer) Code: EK-4047111B6-001 (8 bar) Code: EK-4047111B6-006 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415V/50 Hz 340L .min @ 7 bar NPSL 110 L 75 dBa 1210 x 670 x 830 (w x l x h) 172kg 6-8 or 8-10 bar	£12,590 (8 bar) £13,695 (10 bar) 2YEERRY Y
DK50 2X4VR/110/S/M (Compressor + Cabinet + Dryer) Code: EK-4047121B6-001 (8 bar) Code: EK-4047121B6-006 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415V/50 Hz 340L .min @ 7 bar NPSL 110 L 58 dBa 1260 x 795 x 1025 (w x l x h) 240kg 6-8 or 8-10 bar	£14,073 (8 bar) £14,609 (10 bar)
DK50 2X4VR Intermediate Service Kit (Annual Service) Code: UK-8008	in-cludes the intak	o Intermediate Service Kit e filter. o be used every year as a	£161
DK50 2X4VR Comprehensive Service Kit (8000 hours) Code: UK-8223 Code: UK-8304	intake filters, bearin rods.) Comprehensive kit includes gs, valve plates and piston x1, 8x2, 8x3, 8x4, 4x5, 4x6, 4x7	£2,084 (8 bar) £2,337 (10 bar)
DK50 2X4VR Dryer Kit (50) (2-3 year service or 8000 hours) Code: UKS-20143		its include replacement et seals, failing to service the e the air quality.	£596

0000	DK50 2V MOBILE (Fully Mobile Compressor) Code: EK-509202005-302 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230V/50 Hz 125 L .min @ 7 bar NPSL 25 L 59 dBa 550 x 700 x 860 (w x l x h) 97kg	£5,481 (10 bar)
0000	DK50 2V/S/M Mobile (High Mobile Compressor + Dryer + Cabinet) Code: EK-40920201B5-305 (10 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230V/50 Hz 108 L .min @ 7 bar NPSL 50 L 59 dBa 170 x 700 x 1025 (w x l x h) 102kg	£6,253 (10 bar)
	DK50 3X4VR/M (High Flow Compressor + Dryer) Code: EK-4077211B6-000 (8 bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	415V/50 Hz 775 L .min @ 5 bar NPSL 290 L 73 dBa 170 x 700 x 1025 (w x l x h) 286kg	£26,431 (8 bar) £26,614 (10 bar)

CENTRALISED SYSTEMS - EKOM TOWER

The EKOM towers are custom built centralised systems. We can help design a system that fits your demand perfectly.

You can select dryer type, output flow and sound proof options.

The towers have independently running pumps that can adjust depending on the demand. It has a Siemens control panel that can monitor all aspects of the tower from pressure regulation to dew point. This can all be viewed via the LED touch screen display or remotely via BMS system.

These units are available with 2 dryer options. Refrigeration will provide a -20 dew point (+3 pressure dewpoint), compared to the NPSL dryer which will deliver upto a -70 pressure dewpoint.

Adding the soundproof box will reduce the decibel level to 72dB(A). It has a temperature controlled cooling system within the cabinet to help the pumps run at optimum temperature.

- Up to ISO 8573.1, Class 1 (Air Quality)

- ISO-13485 compliant



4

T: 01527 557006 | E: enquiries@absoluteairandgas.co.uk

	4X4VR	6x4VR	9x4VR
Motor Performance (KW)	4x2.2	6x2.2	9x2.2
Mode of Operation (Duty)	S1 - 100%	S1 - 100%	S1 - 100%
Dryer Options	Refrigeration (+3 Pressure Dew Point)	Refrigeration (+3 Pressure Dew Point)	Refrigeration (+3 Pressure Dew Point)
	or	or	or
	NPSL (-40/-70 Pressure Dew Point)	NPSL (-40/-70 Pressure Dew Point)	NPSL (-40/-70 Pressure Dew Point)
Air Tank Capacity	500 L	500 L	500 L
Efficiency of Compressor (@ 7bar)	980 L/min	1,615 L/min	2,325 L/min







BEVERAGE COMPRESSOR OF-90-24

Beverage Compressor 230V

(Beverage Compressor)

Oil-free, quiet and maintenance free dispense compressor for pressurizing beer and soft drink pumps

- · 10-12 beer pumps
- · Optional wall mounting
- · Automatic condensate removal
- · 5 µm filtration included
- · 5 year warranty





Auto-drain Compressor



Changeover Valve



Wall Bracket

Technical Data

Voltage/ Frequency	Volt / Hz	230V / 50 Hz
Tank Siz	Litres	24 (internally coated)
Max. Pressure	Bar / Psi	8 bar / 116 PSI
Outlet flow rate @ 3.5 bar	l/min	60 L/min
Dimensions (L x W x H)	mm	620 x 300 x 520
Duty Cycle	SI	100 %
Weight	Kg	20kg
Noise Level	dB(A)1m	58

	SILVER-LINE L-S50-4 (Lubricated) Code: AB-3010.10235 (8 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 4 L 45 dBa 300 x 340 x 340 (w x l x h) 22kg 50%	£1,208
	SILVER-LINE L-S50-25 (Lubricated) Code: AB-M06013.10235 (8 bar) Code: AB-M06012.10235 (16 bar)	Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 8 bar or 16 bar 25 L 45 dBa 400 x 400 x 510 (w x l x h) 28kg 50%	£1,333 (8 bar) £1,677 (10 bar)
	SILVER-LINE L-S100-25 (Lubricated) Code: AB-7010.10235 (8 bar) Code: AB-M07011.10235 (16 bar)	Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 8 bar or 16 bar 25 L 48 dBa 450 x 400 x 510 (w x l x h) 42kg 50%	£2,236 (8 bar) £2,426 (10 bar)
	SILVER-LINE L-S100-50 (Lubricated) Code: AB-8010.10235 (8 bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 65L/min @ 7 bar 50 L 48 dBa 420 x 860 x 750 (w x l x h) 56kg 50%	£2,386
	SILVER-LINE L-S150-50 (Lubricated) Code: AB-9010.10235	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 95L/min @ 7 bar 50 L 50 dBa 420 x 860 x 750 (w x l x h) 75kg 50%	£2,917
All and a second	SILVER-LINE L-S200-50 (Lubricated) Code: AB-M104011.10235	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 135L/min @ 7 bar 50 L 52 dBa 410 x 840 x 730 (w x l x h) 88kg 50%	£3,741

Community of the second s	SILVER-LINE L-S300-100 (Lubricated) AB-M105010.10235	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 185L/min @ 7 bar 100 L 54 dBa 390 x 1160 x 710 (w x l x h) 135kg 50%	£5,632
	SILVER-LINE OF-S90-4 (Oil Free) Code: AB-MI25018.10811	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 30L/min @ 7 bar 4 L 58 dBa 350 x 340 x 340 (w x l x h) 15kg 50%	£1,147
	SILVER-LINE OF-S90-25 (Oil Free) Code: AB-MI28014.10811	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 30L/min @ 7 bar 25 L 58 dBa 410 x 410 x 500 (w x l x h) 21kg 100%	£1,392
	CWF 100-4 (12 Bar Compressor) (Oil Free) Code: AB-CWF100-4	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 40L/min @ 7 bar (max pressure 12 bar) 4 L 61 dBa 500 x 350 x 390 (w x l x h) 26kg 100%	£1,535
	CWF 100-24 (12 Bar Compressor) (Oil Free) Code: AB-CWF100-24	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 40L/min @ 7 bar (max pressure 12 bar) 25 L 61 dB 490 x 450 x 640 (w x l x h) 32kg 100%	£2,253

BLUELLINE	BLUE-LINE L-B50-4 (Lubricated) Code: AB-M24110.10811	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 4 L 45 dBa 300 x 360 x 340 (w x l x h) 22kg 50%	£920
	BLUE-LINE L-B50-15 (Lubricated) Code: AB-M17110.10235	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 15 L 45 dBa 360 x 360 x 580 (w x l x h) 25kg 50%	£950
	BLUE-LINE L-B50-25 (Lubricated) Code: AB-M18410.10235	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 bar 24 L 45 dBa 400 x 400 x 590 (w x l x h) 27kg 50%	£984
	BLUE-LINE OF-B90-4 (Lubricated) Code: AB-MI25019.10811	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 49L/min @ 7 bar 4 L 58 dBa 360 x 300 x 335 (w x l x h) 15kg 50%	£885

DISTRIBUTION

EKOM Distribution Network

The EKOM range is going from strength to strength. The brand continues to grow throughout the UK and Ireland, with an ever increasing network of distributors standardising on EKOM due to its reliability and price point.





NEXT DAY DELIVERY



UNRIVALLED CUSTOMER SUPPORT




If you are interested in the EKOM range, please feel free to contact us for more . details.

ekon

NOTES

NOTES



Absolute Industrial Bromsgrove Technology Park Isidore Road Bromsgrove B60 3FJ

T: 01527 557006 E: enquiries@absoluteairandgas.co.uk

www.absolute-industrial.co.uk

© 2024Absolute Industrial

